

12-27-99

A

ATTORNEY DOCKET NO.
065446.0128

PATENT APPLICATION



APPLICATION FOR U.S. PATENT UNDER 37 C.F.R. § 1.53(b)
TRANSMITTAL FORM

Box Patent Application
ASSISTANT COMMISSIONER FOR PATENTS
Washington, D.C. 20231

Sir:

Transmitted herewith for filing is the patent application of:

Inventor or Application Identifier: Allan R. Griebenow

Entitled: *Method and System for Providing Integrated Remote Monitoring Services*

Enclosed are: Specification (32 pages)
 Drawing(s) (7 Sheets Formal)

Unsigned Combined Declaration and Power of Attorney.

Certificate of Mailing

Unsigned Small Entity Verification

Return Receipt Postcard

Applicant is Small Entity.

FEE CALCULATION					FEE
	Number	Number Extra	Rate	Basic Fee	
				\$ 380.00	
Total Claims:	27	-20 =	7	X \$9 =	\$ 63.00
Independent Claims	4	- 3 =	1	X \$39 =	\$ 39.00
TOTAL FILING FEE =					\$482.00

Attorney's Docket:
065446.0128
Page 2

PATENT APPLICATION

Enclosed is a check in the amount of \$482.00 to satisfy filing fee requirements under 37 C.F.R. § 1.16. Please charge any additional fees or credit any overpayment to Deposit Account No. 02-0384 of BAKER & BOTTS, L.L.P. A duplicate copy of this sheet is enclosed.

Respectfully submitted,

BAKER & BOTTS, L.L.P.
Attorneys for Applicants



Terry J. Stalford
Reg. No. 39,522

Date: December 22, 1999

Correspondence Address:
Terry J. Stalford, Esq.
Baker & Botts, L.L.P.
2001 Ross Avenue
Dallas, Texas 75201-2980

Tel. (214) 953-6477
Fax. (214) 953-6503

Applicant or Patentee: Allan R. Griebelnow
Serial or Patent No.
Filed or Issued:

Attorney's Docket:
065446.0128

Title: METHOD AND SYSTEM FOR PROVIDING INTEGRATED REMOTE MONITORING SERVICES

**VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY STATUS
(37 CFR 1.9(f) & 1.27(e)) -- SMALL BUSINESS CONCERN**

I hereby declare that I am an official of the small business concern empowered to act on behalf of the concern identified below:

Name of Small Business Concern: AXCESS INC.
Address of Small Business Concern: 3208 Commander Drive
Carrollton, Texas 75006

I hereby declare that the above-identified small business concern qualifies as a small business concern as defined in 13 CFR 121.12, and reproduced in 37 CFR 1.9(d), for purposes of paying reduced fees to the United States Patent and Trademark Office, in that the number of employees of the concern, including those of its affiliates, does not exceed 500 persons. For purposes of this statement, (1) the number of employees of the business concern is the average over the previous fiscal year of the persons employed on a full-time, part-time or temporary basis during each of the pay periods of the fiscal year, and (2) concerns are affiliates of each other when either, directly or indirectly, one concern controls or has the power to control the other, or a third party or parties controls or has the power to control both.

I hereby declare that rights under contract or law have been conveyed to and remain with the small business concern identified above with regard to the invention, entitled METHOD AND SYSTEM FOR PROVIDING INTEGRATED REMOTE MONITORING SERVICES, described in the specification filed herewith.

If the rights held by the above-identified small business concern are not exclusive, each individual, concern or organization having rights in the invention is listed below, and no rights to the invention are held by any person, other than the inventor, who would not qualify as an independent inventor under 37 CFR 1.9(c) if that person made the invention, or by any concern which would not qualify as a small business concern under 37 CFR 1.9(d), or a nonprofit organization under 37 CFR 1.9(e):

None

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or my maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b)).

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

Name of Person Signing: Allan Griebelnow
Title of Person if other than owner: President
Address of Person Signing: 3208 Commander Drive
Carrollton, Texas 75006

Signature: _____

Date: _____

METHOD AND SYSTEM FOR PROVIDING INTEGRATED REMOTE
MONITORING SERVICES

TECHNICAL FIELD OF THE INVENTION

The present invention relates generally to the field of remote business management, and more particularly to a method and system for providing integrated remote monitoring services.

BACKGROUND OF THE INVENTION

Remote monitoring of a facility for fire, burglar and other alarms provides protection for a facility at low cost. For fire alarm systems, heat, flame, and/or 5 smoke sensors are strategically placed around the facility to detect any fire at an early stage. Upon detection of a fire, in addition to a local alarm, an alarm is sent to a remote monitoring facility, which can then notify the fire department.

10 Similarly, homes and businesses often have a burglar alarm that is remotely monitored. Typically, sensors are placed on doors, windows, and at other areas susceptible to forced entry. In response to detection of a break-in, an alarm is sent to the remote monitoring facility, which 15 can then dispatch personnel to check the facility.

A significant problem in monitoring alarms is the occurrence of false alarms. For burglar alarms, for example, personnel must generally be dispatched to the scene to determine whether a break-in is actually 20 occurring or has occurred. In the event of a break-in, the need to confirm the alarm delays notification of the police. In the event no break-in occurred, the false alarm unnecessarily diverts personnel and resources to the scene.

25 More recently, remote monitoring capabilities have improved with the advent of video telesurveillance technologies. This technology allows remote personnel to connect to a video camera in a facility and to control or determine conditions at the facility. While this remote 30 "look-in" capability provides significant advances over earlier monitoring systems, it does not provide an integrated solution for business owners.

SUMMARY OF THE INVENTION

The present invention provides a method and system for providing remote monitoring services that substantially reduce or eliminate the problems and 5 disadvantages associated with previously developed systems and methods. In particular, the present invention provides integrated remote monitoring services that allow a subscriber to remotely monitor, evaluate, and control operations at a facility.

10 In accordance with one embodiment of the present invention, a method and system for providing integrated remote monitoring services includes receiving and storing radio frequency identification (RFID) data from an RFID system at a remote facility of a subscriber. Video data 15 is received from a video system at the facility and also stored. The subscriber is provided with access to the stored RFID and video data. The subscriber is also provided with access to and control of a video camera in the video system at the facility.

20 More specifically, in accordance with a particular embodiment of the present invention, the RFID and video information may be received over the Internet and the subscriber provided access to the stored data and the video camera through a web portal. In this and other 25 embodiments, the RFID data may be processed to generate a report for the subscriber or to determine and notify the subscriber of any alert conditions requiring his or her attention. In addition, the subscriber may initiate a polling event at the facility and receive results of the 30 polling event.

In accordance with another aspect of the present invention, a method and system for providing identity

verification for access activities is provided. The method and system elicits a radio response from an RFID tag at an access door of a secure area. Authorized access by a wearer of the RFID tag to the secure area is 5 determined based on the radio response. A video image of the wearer at the access door is recorded and used to confirm the identity of the wearer.

In accordance with still another aspect of the present invention, a method for providing remote access 10 services includes receiving a request by a person for access to a restricted area operated by a subscriber. A video image of the person requesting access to the restricted area and/or RFID tag information is also received. The request, including the video image, is 15 transmitted to the subscriber for approval. In response to approval by the subscriber, the requested access is remotely allowed.

Technical advantages of the present invention include providing integrated remote monitoring services 20 for owners and managers of a business. In particular, data is collected from the facility using automatic location identification technology and digital video networking and recording technology. The data is transmitted over the Internet to a central host site at 25 which the data is stored and analyzed and may be accessed by the subscriber.

Another technical advantage of the present invention includes using the Internet to provide multi-media and other data-oriented information to subscribing business 30 managers that is specific to the operation of each business location for the purpose of improving the efficiency of business operations. In particular, video,

audio, and other data is collected at a business location and may be viewed live, processed, and stored at the business location or retrieved and processed at a central host site. The user subscribes to the service, which 5 makes available the collected and processed data through a website portal.

Yet another technical advantage of the present invention includes providing video verification of activity at a remote facility. In particular, video 10 images are collected and associated with radio frequency identification (RFID) activities. As a result, the identity of a person wearing or otherwise using a tag to access facilities, operations, and areas may be verified.

Still another technical advantage of the present 15 invention includes providing a method and system for remotely notifying a manager of a facility of an alert condition at the facility. In particular, RFID data is collected and processed at a facility to determine whether a user-defined or other alert condition exists.

20 Alert conditions may be unauthorized access to an area, an insufficient number of employees at the facility or performing a specified task, or other conditions that affect operations of the business. The manager is immediately notified of such alerts to allow corrective 25 action to be taken.

Still another technical advantage of the present invention includes providing a method and system for providing remote access services to a subscriber. In particular, request by a person to access a restricted 30 area during off-hours or other unattended times is combined with RFID data, if available, and a video image and forwarded to a central host site for approval or

routing to a subscriber for his or her approval. As a result, employees need not travel to or wait at a location for deliveries or the arrival of others. Thus, operating costs of the business are reduced.

- 5 Still another technical advantage of the present invention includes providing a method and system for gathering marketing and customer preference information. In particular, remote controlled cameras at a store may be accessed and controlled to determine customer preferences and actions. As a result, travel to the physical location is unnecessary which reduces costs and increases the number of surveys that can be taken. In addition, interference with normal operations of a facility are eliminated.
- 10 15 Other technical advantages of the present invention will be readily apparent to one skilled in the art from the following figures, description, and claims.

BRIEF DESCRIPTION OF THE DRAWINGS

For a more complete understanding of the present invention and its advantages, reference is now made to the following description taken in conjunction with the 5 accompanying drawings, wherein like reference numerals represent like parts, and in which:

FIGURE 1 is a block diagram illustrating a remote monitoring system in accordance with one embodiment of the present invention;

10 FIGURE 2 is a top plan view of a monitored facility of FIGURE 1 in accordance with one embodiment of the present invention;

FIGURE 3 is a block diagram illustrating details of the central host of FIGURE 1 in accordance with one 15 embodiment of the present invention;

FIGURE 4 is a flow diagram illustrating a method for providing identity verification service for a subscriber of the monitoring system of FIGURE 1 in accordance with one embodiment of the present invention;

20 FIGURE 5 is a flow diagram illustrating a method for providing alert notification services for a subscriber of the monitoring system of FIGURE 1 in accordance with one embodiment of the present invention;

FIGURE 6 is a flow diagram illustrating a method for 25 providing remote access services for a subscriber of the monitoring system of FIGURE 1 in accordance with one embodiment of the present invention; and

FIGURE 7 is a flow diagram illustrating a method for providing location control services for a subscriber of 30 the monitoring system of FIGURE 1 in accordance with one embodiment of the present invention.

DETAILED DESCRIPTION OF THE INVENTION

FIGURE 1 illustrates a remote monitoring system 10 in accordance with one embodiment of the present invention. In this embodiment, the remote monitoring system 10 uses the Internet to provide connectivity between remote elements of the system 10. It will be understood that other suitable networks and components of networks may be used as part or in place of the Internet 12 to provide connectivity between elements of the system 10.

Referring to FIGURE 1, the remote monitoring system includes geographically distributed monitored facilities (MF) 14, a central host 16, and subscribers 18. The monitored facilities 14 each include a data collection system that collects video, audio, location, and other data at the facility 14 based upon the specific business needs of a subscriber 18. The data, once collected, may be viewed live, processed and stored at the monitored facility 14, or retrieved and processed at the central host 16. The subscriber 18, which may be an owner or manager of the business, accesses certain live and processed data relative to the operation of the facility 14 through a website portal defined by the central host 16. The subscriber 18 may access the website portal with a personal computer or any other suitable personal device capable of connecting to the Internet through a wireline, wireless or other suitable link.

FIGURE 2 illustrates details of a monitored facility 14 in accordance with one embodiment of the present invention. In this embodiment, the monitored facility 14 is a retail clothing store 40. It will be understood

that the present invention may be used in connection with any other suitable type of business. For example, the monitored facility 14 may be any type of store selling goods to consumers, a doctor or other suitable type of office, an office building or complex, a manufacturing facility or plant, a warehouse or storage yard, or any other suitable structure at which one or more workers perform tasks.

Referring to FIGURE 2, the retail store 40 includes 10 a sales floor 42 and the back area 44 supported by a security door 46. The sales floor 42 is accessed by the public through access doors 48. The sales floor 42 includes clothing shelves 50, clothing racks 52, and a sales counter 54. The clothing shelves and racks 50 and 15 52 display articles of clothing to consumers for selection and purchase, and dressing rooms 58. Typically, clothing is displayed on the shelves 50 and racks 52 to maximize consumer interest and purchases. Such purchases are rung up by employees of the store on 20 registers 58 at the sales counter 54. Money, checks, and receipts for other forms of payment are all initially stored in the registers 58.

The back area 44 includes a stock area 60, a vault room 62, and a computer room 64. The stock area 60 25 stores inventory 70 for later display on the sales floor 42. The vault room 62 secures a safe 72 that temporarily stores funds removed from the registers 58 prior to transfer to a bank. The computer room 64 secures burglar and fire alarm equipment 74 and 76 as well as a local 30 computer system 78 for monitoring, controlling, processing, recording, local activities and for transmitting and receiving information to and from the

central host 16. Local processing of data may be completely performed by the local computer system 78 or may be distributed to the sensors or other devices throughout the store 40. In the Internet embodiment, the 5 computer system 78 includes a local area network (LAN) hub/gateway to communicate with the central host 14 over the Internet 12. The vault and computer room 62 and 64 are each accessed by access doors 80 and 82, respectively.

10 The computer system 78 collects data using automatic location identification technology and digital video networking and recording technology. In one embodiment, the automatic location identification technology comprises radio frequency identification (RFID) tag 15 technology that gathers data by requiring assets to physically touch a reader (passive location technology) or by passing near to a reader (active location technology). Active tags activate, or wake-up when they pass through or receive a localized radio frequency 20 signal and then transmit their ID number to a reader. The RFID data identifies where certain personnel or physical assets of the business are or have been in or around the store 40. The RFID data is collected as the assets enter or leave the store 40 and as they move into 25 or out of certain defined areas, or zones.

 In a particular embodiment, the RFID system and tags may be implemented in accordance with the systems and tags disclosed in U.S. Application Serial No. 09/298,982 that is entitled "Distributed Tag Reader System and 30 Method", U.S. Application Serial No. 09/357,435 that is entitled "Radio Frequency Identification System and Method", U.S. Application Serial No. 09/298,559 that is

entitled "Low Power Receiver for Radio Tag and Method", U.S. Application Serial No. 09/258,974 that is entitled "High Sensity Demodulator for a Radio Tag and Method", U.S. Application Serial No. 08/789,148 entitled "Radio Tag System and Method With Improved Tag Interference Avoidance", U.S. Application Serial No. 09/357,669 entitled "Dual Frequency Radio Tag for Radio Frequency Identification System, and U.S. Application Serial No. 09/357,688, all of which are incorporated herein by reference.

For the illustrated embodiment, the store 40 includes a centralized receiver, or reader, 90 for reading responses from tags, access control systems 92 for controlling access to the back area 44 and an access monitoring system 94 for monitoring tags entering through the public doors 48. The access control and monitoring systems 92 and 94 each transmit the wake-up signal to tags in their area to elicit a response which is received by the receiver 90 and passed to the computer system 78. In this way, access to the back area 44 may be fully controlled with only authorized personnel having an RFID tag allowed access. Thus, while the general public may freely access the sales floor 42, access to the back room 44 is limited to only employees and managers of the store 40. Inclusion of the access monitoring system 94 allows the egress and ingress of all employees entering or leaving the store 40 to be monitored and recorded.

Additional access control systems 96 and 98 are provided separately for the vault room 62 and the computer room 64 to provide additional security to those areas. Thus, while all employees may be allowed access to the back area 44, only specific employees or an owner

may be allowed access to the vault room 62 and the computer room 64.

The location data may also include polling stations 100 and 102. The polling station 100, in response to a command from the local computer system 78 polls tagged inventory on the sales floor 42. Responses from the tags may be collected by the polling station 100 or the receiver 90 and forwarded to the local computer system 78 for processing. Similarly, polling station 102, in response to a command from the local computer system 78, may poll tagged items in the inventory 70. Responses from the tags may be received by the polling station 102 or the receiver 90 and passed to the computer system 78 for recordation and processing. Typically, high value items will be tagged to inhibit their theft. The computer system 78 may initiate polling at specified times, at a specified period, in response to an alarm condition, or in response to an operator or subscriber request from or through the central host 16.

The location data may be recorded at the store 40 and transmitted later or transmitted live over the Internet 12 where it is collected by the central host 16, processed, and then made available to the subscriber 18. In one embodiment, the RFID data may include the identification number of the tag, the antenna or activator ID telling where the tag was activated, and the reader identification that received the response signal from the tag.

The video and audio data at the store 40 is collected from cameras and microphones positioned in and around the store 40. The video may be black and white video, color video, infrared video, or any other suitable

visual information capable of providing information at a scene. The cameras may be digital network video cameras, which can connect directly to a data network, or they may be any standard video camera connected to a conversion 5 and compression device, which records and/or prepares the video data for transmission over the Internet 12.

The video data collection and/or transmission may be initiated via an external trigger or alarm which indicates a business condition exists where the video 10 data must be transmitted live or recorded for later review. Video data is also available for subscribers 18 or the host service provider 16 to dial into at any time to view live video or to initiate video recording. In addition, Video data may be recorded at the store 40 and 15 transmitted later or transmitted live over the Internet 12 or may be recorded the central host 16 or transmitted live to the subscriber 18.

In one embodiment, the cameras and equipment of the video and audio network may be implemented in accordance 20 with U.S. Patent No. 4,857,991 entitled "Method and System for Decompressing Color Video Feature Encoded Data", U.S. Patent No. 4,816,901 entitled "Method and System for Compressing Color Video Data", U.S. Patent No. 4,843,466 entitled "Method and System for Decompressing 25 Color Video Slope Encoded Data", U.S. Patent No. 4,849,807 entitled "Method and System for Compressing Color Video Feature Encoded Data", U.S. Patent No. 4,847,677 entitled "Video Telecommunication System and Method for Compressing and Decompressing Digital Color 30 Video Data", U.S. Patent No. 4,857,993 entitled "Method and System for Decompressing Digital Color Video Statistically Encoded Data", U.S. Patent No. 4,914,508

entitled "Method and System for Compressing and Statistically Encoding Color Video Data", U.S. Patent No. 5,140,142 entitled "Method for Color Encoding and Pixelization for Image Reconstruction", U.S. Patent 5 Application Serial No. 07/611,142 entitled "Data Processing Apparatus and Method Using Data Compression (Delta)", U.S. Patent Application Serial No. _____ filed on March 20, 1998 entitled "Conditional Update Method for Video Compression", U.S. Patent Application 10 Serial No. _____ filed March 20, 1998 entitled "Video Compressed Apparatus and Method, and U.S. Patent Application Serial No. 08/610,618 which are all hereby incorporated by reference.

For the illustrated embodiment, video and audio data 15 are collected by a number of digital cameras distributed throughout the store 40. Each camera includes a camera controller (CC) for panning, tilting, and zooming the camera to focus on a desired area of the store 40. In particular, sales floor cameras 110 and 112 provide broad 20 coverage of the sales floor 42 and may be used to view the movements of customers and interaction between customers and employees on the sales floor 42. A sales counter camera 114 is located in front of the sales counter 54 to provide close-up coverage of the registers 25 58. In the back area 44, camera 116 provides coverage of a back door, camera 118 provides coverage of the intermediate door 46 between the back area 44 and the sales floor 42, vault camera 120 provides coverage of the vault door 80, and computer camera 122 provides coverage 30 of the computer door 82. Thus, all access to the back room 44 and the vault and computer rooms 62 and 64 may be

recorded. In addition, back area camera 124 may provide broad coverage of the stock area 60.

Video, audio, location, and other data gathered by the sensors in the store 40 are passed to the local control system 78 for recordation, processing, and transmittal to the central host 16. The local computer system 78 may combine location data with multi-media data to provide enhanced and integrated services for subscribers 18. In a particular embodiment, data is streamed out of the location and video system. The location data is embedded into video frame headers for transmission and storage.

Combined location and video data may be generated in an application in which tag transmissions may be used to active video recording from a camera pointed toward a zone activation point to capture tag activations. The video records the tagged activation event thereby validating the person or asset with a tag at the time of the read. The combined tag and video data can be stored for later review or transmitted live over the Internet 12 to the central host 16 or to the subscriber 18.

FIGURE 3 illustrates the central host 16 in accordance with one embodiment of the present invention. In this embodiment, the central host 16 is implemented as a website portal on a server. It will be understood that the host 16 may be implemented by any other suitable computing device capable of communicating information with a remote device over a network.

Referring to FIGURE 3, the host 16 includes database 150 for storing data received from the monitored facilities 14 and applications 152 for processing the data and reporting the information to the subscribers 18.

Generally described, the central host 16 receives, stores, and processes video, audio, and location data transmitted from the monitored facilities 14 and makes the data available to the subscribers 18. In addition, 5 the host 16 may generate and transmit notice of certain events to the subscriber 18.

The database 150 includes activity records 160 for each of the monitored facilities 14. The activity records 160 each store location information 162, video 10 information 164, and combined location and video information 166. The location information 162 is generated by RFID reads at the monitored facilities 14. The location data 160 may include time and attendance records, access to restricted areas information , asset 15 movement information, and asset poll results. The time and attendance records provided to the subscriber 18 to automate the payroll data input process, to counsel an employee regarding deficiencies in his or her attendance, and combined with video data to provide a video record 20 of attendance. Access to restricted area information allows the subscriber to track personnel entering inventory rooms, computer rooms, rooms with safes and other critical areas of a facility 14. The asset movement data provides subscribers with information 25 regarding unauthorized movement of assets. The poll results provide subscribers an inventory of tag assets at a particular facility 14.

The video data 164 may include associated audio clips and is generated by the cameras at the monitored 30 facilities 14. The video data may include video of personnel entering and leaving a monitored facility 14, personnel movement within the facility 14, customer video

and purchase transaction video. Personnel access video may be provided to a subscriber 18 as a record of unauthorized and unauthorized entry by employees and non-employees. Personnel movement video data may be used by 5 the subscriber 18 to evaluate the effectiveness of an employee at his or her job functions. Such functions can include performance of job tasks, interaction with customers, and behavior involving customer transactions such as cash handling. Customer video data may be used 10 by subscribers 18 to provide information regarding customer behavior in buying circumstances such as attractiveness to product displays. The register transaction videos provide protections for the subscriber against theft.

15 The combined format data 166 stores location and video information together to provide enhanced services and higher order information for subscribers 18. Location and video information may be stored together by being stored in a common file, by being stored in a 20 common element of a database, or being linked or otherwise associated with each other.

The applications 152 include a facility access program 180, database access program 182, alert processor 184, report generator 186, remote video controller 188, 25 remote access controller 190, and remote location, or RFID, controller 192. The applications each comprise software stored on a computer-readable medium and executed by a processor of the host 16. It will be understood that the functionality of the central host 16 30 may be otherwise suitably separated into disparate applications.

The facility access program 180 provides operators and subscribers 18 with direct access to the local computer system 78 of the monitored facilities 14. The database access program 182 provides access to the 5 database 150. Accordingly, an operator at the central host 18 can perform special requests and processing of information stored at the central host 18 or at the monitored facility 14.

The alert processor 184 receives alerts generated by 10 the monitored facilities 14 and/or generates alerts and response to information uploaded from the monitored facilities 14. As described in more detail below, the alert processor notifies the subscribers 18 of an alert condition in order to allow them to suitably respond. 15 The alerts may be a burglar alarm, a fire alarm, or subscriber-defined operation conditions such as less than a minimum number of employees at a facility or performing a specified function at a facility.

The report generator 186 processes information in 20 the activity records 160 to generate user-required and/or specified reports. The reports allow a subscriber to quickly determine the operational status of a monitored facility 14 based on certain categories of information. The reports can be accessed on the central host 16 or 25 transmitted to the subscriber 18.

The remote video controller 188 provides operators and subscribers 18 with direct access to and control of the video cameras in the monitored facilities 14. Thus, an operator may look into any of the monitored facilities 30 14 at any time. Typically, an operator would use the remote video controller 188 to look into a monitored facility 14 in response to an alarm or other alert

condition. In one embodiment, the remote video control 188 is implemented as the prism MOLE software. The MOLE application allows full pan, tilt, and zoom camera control. In addition, the MOLE product supports black 5 and white, color, and infrared video images and provides an intuitive graphical user interface (GUI) for remotely controlling the cameras.

The remote access controller 190 provides operators and subscribers with remote access functionality at the 10 central host 16. As described in more detail below, this enables an operator at the central host 16 to control access doors at the monitored facilities 18 to allow ingress and egress of employees and other personnel. This subscriber 18 may use the remote access controller 15 190 to similarly control access doors at the monitored facility 18. The doors at monitored facilities 14 may include gates and other entry and exit ways.

The remote RFID controller 192 allows operators and subscribers to access and control an RFID system, or 20 components of an RFID system at a monitored facility 14. For example, an operator at the central host 16 or a subscriber 18 may initiate polling operations at a monitored facility to track inventory at that facility 14. In this way, inventory may be remotely polled on a 25 periodic basis, at specified times, or at any random time by the subscriber 18.

The central host 16 implements an Internet website to allow subscribers 18 to connect to the host and view the location data, video data, and process result data. 30 In one embodiment, the subscriber 18 is given an authorization number to ensure privacy of the data being viewed. The website, or portal, may present options to

the subscriber 18 for live video viewing at any location, viewing recorded video clips of key operational events, viewing data from location reads such as time and attendance by employees and asset movements, and viewing 5 data from asset inventory polls. The subscribers 18 may also receive e-mail alerts which may include alarm messages of events that require immediate attention. The e-mail alerts may include video, snapshots, or clips of key events.

10 FIGURE 4 is a flow diagram illustrating a method for providing identity verification services to subscribers 18 for RFID reads at a monitored facility 14 in accordance with one embodiment of the present invention. The method begins at step 200 in which a radio response 15 is elicited from an RFID tag at an access door of a secure area of a monitored facility 14.

Next, at step 202, one or more video images of the wearer of the RFID tag is obtained from a camera covering the access door. The video image may be obtained in 20 response to the radio response, authorized access, or an attempt at unauthorized access.

Proceeding to decisional step 204, it is determined if the requested access is authorized based on the radio response from the RFID tag. If access is authorized, the 25 Yes branch of decisional step 204 leads to step 206 in which the access door is opened. If access is not authorized, the No branch of decisional step 204 along with step 206 leads to step 208.

At step 208, the video image is stored with the RFID 30 action to provide video verification of the event. The video image may be stored with the RFID action by being

stored as part of a same file, database entry, linked, or otherwise associated with the action.

FIGURE 5 illustrates a method for providing an alert notification service to subscribers 18 in accordance with 5 one embodiment of the present invention. In this embodiment, the alert is initially generated at a monitored facility 18 by a local computer system and transferred to the central host 16 for processing and transmittal to the subscriber 18. It will be understood 10 that the alert may be generated by the central host 16 based on received and processed data. In this embodiment, information relevant to the alerts is preferably streamed from the monitored facilities 14 to the central host 16 for continuous processing.

Referring to FIGURE 5, the method begins at step 250 in which a location or other RFID event is received at a monitored facility 14. Next, at decisional step 252, it is determined whether the event is associated a pre-defined alert condition. The alert condition may be a 20 burglar or fire alarm, or operational data above or below operational limits. If the event is not associated with an alert condition, no immediate notification to the subscriber 18 is necessary and the No branch of decisional step 252 leads to the end of the process. If 25 the event is associated with an alert condition, the Yes branch of decisional step 252 leads to step 254.

At step 254, a video image providing information about the RFID event may be obtained. The video image may be obtained by triggering a camera covering an area 30 in which the RFID event occurred or by retrieving video recorded at the time of the event. Next, at step 256,

notice of the alert and any attached video images are transmitted to the central host 14 for processing.

Proceeding to step 258, the alert processor 184 at the central host 16 generates an e-mail to the subscriber 18 providing notice of the alert condition. For example, the e-mail may include a textural message indicating the monitored facility 14 at which the event occurred, the type of the event, and the time of the event. At step 260, the video image is attached to the e-mail and the complete message transmitted to the subscriber 18 at step 262. In this way, subscribers 18 are immediately notified of any events to which immediate action may be required.

FIGURE 6 is a flow diagram illustrating a method for providing remote access services for subscribers 18 in accordance with one embodiment of the present invention. In this embodiment, requests for remote access are processed by the central host 16 and forwarded to the subscriber 18 for approval. It will be understood that an operator at the central host 16 may provide requested access based on instructions by the subscriber 18.

Referring to FIGURE 6, the method begins at step 300 in which a request by a person to access a restricted area is received at a monitored facility 14. At step 302, a video image of the person requesting access is obtained. The video image may be obtained by triggering the camera covering the access door from which the request was received.

Proceeding to step 304, the request and the video image are transmitted to the central host 16. At the central host 16, the remote access controller 190 generates an e-mail to the subscriber 18 providing notice

of the request. At step 308, the video image is attached to the e-mail and the completed e-mail transmitted to the subscriber at step 310.

Next at decisional step 314, if the subscriber 5 grants the request, the Yes branch leads to step 316 in which the access door is remotely opened. The door may be opened by the subscriber 18 via the central host 16 or by an operator at the central host 16 in response to approval of the request by the subscriber 18.

10 Step 316 as well as the No branch of decisional step 314 lead to the end of the process. In this way, after-hour deliveries and other access may be allowed without the need to maintain employees at a facility. Accordingly, operational expenses for the business are 15 reduced.

FIGURE 7 is a flow diagram illustrating a method for providing remote polling services for subscribers 18 in accordance with one embodiment of the present invention. The method begins at step 350 in which a polling event is 20 received for an area at a monitored facility 18. The polling event may be a specified time, the elapse of a period of time, or a response to a request by the subscriber 18 or an operator at the central host 16. In addition, the polling event may be an RFID event within 25 the area to be polled.

Next, at step 352, a poll is conducted of the area for tagged inventory. In accordance with conventional radio tag operations, each tag responds to a polling event by identifying itself and providing any other 30 relevant information. At step 354, the results of the poll are transmitted to the central host 16 for processing. Proceeding to decisional step 356, the

central host 16 determines whether any inventory is missing. This may be accomplished by comparing the inventory results to previous inventory results and accounting for any items for which removal was 5 authorized, such as sold items. If no inventory is missing, no notification to the subscriber is needed and the No branch of decisional step 356 leads to the end of the process. If inventory is missing, the Yes branch of decisional step 356 leads to step 358.

10 At step 358, the remote RFID controller 192 generates an e-mail to the subscriber 18 providing notice of the missing inventory. At step 360, the controller 192 may attach a log of recent RFID activity in the area at which the missing inventory was discovered. The 15 completed e-mail is transmitted to the subscriber 18 at step 362. This way, a subscriber 18 may be immediately notified of any missing inventory and may take suitable action.

Although the present invention has been described 20 with several embodiments, various changes and modifications may be suggested to one skilled in the art. It is intended that the present invention encompass such changes and modifications as fall within the scope of the appended claims.

WHAT IS CLAIMED IS:

1. A method for providing integrated remote monitoring services, comprising:
 - receiving and storing radio frequency identification (RFID) data from an RFID system at a remote facility of a subscriber;
 - receiving and storing video data from a video system at the facility;
 - providing the subscriber with access to the stored RFID and video data; and
 - providing the subscriber with access to and control of a video camera in the video system at the facility.
- 15 2. The method of Claim 1, wherein the RFID and video information is received over the Internet and the subscriber is provided with access to the stored data and to the video camera through a web portal.
- 20 3. The method of Claim 1, further comprising processing the RFID data to determine whether an alert condition exists and notifying the subscriber if an alert condition exists
- 25 4. The method of Claim 3, wherein the alert is a subscriber-defined alert.
- 30 5. The method of Claim 3, further comprising generating an e-mail and transmitting the e-mail to the subscriber to notify the subscriber of the alert condition.

6. The method of Claim 3, wherein the alarm condition comprises less than a minimum number of employees in attendance at the facility.

5 7. The method of Claim 3, wherein the alarm condition comprises less than a minimum number of employees performing a specified function.

8. The method of Claim 1, further comprising:
10 initiating a polling event in response to a specified event, the polling event operable to use the RFID system at the facility to poll an area of the facility to determine an inventory of tagged items within the area; and
15 receiving results of the polling event.

9. The method of Claim 8, wherein the specified event is a pre-defined time.

20 10. The method of Claim 8, wherein the specified event is a periodic event.

11. The method of Claim 8, further comprising:
determining whether all items have been
25 accounted for based on the polling results; and
generating an alert in response to unaccounted for items.

30 12. The method of Claim 1, further comprising processing the RFID data to generate a report for the subscriber.

13. The method of Claim 12, wherein the report is a subscriber-defined report.

14. The method of Claim 12, wherein the report
5 comprises time and attendance records of the employees of
the subscriber at the facility.

15. A method for providing identity verification for access to a secure area, comprising:

eliciting a radio response from a radio frequency identification (RFID) tag at an access door of
5 a secure area;

determining whether access by a wearer of the RFID tag to the secure area is authorized based on the radio response;

recording a video image of the wearer of the
10 RFID tag at the access door; and

controlling access to the door to provide authorized access.

16. The method of Claim 15, further comprising
15 recording the video image in response to authorized access.

17. The method of Claim 15, further comprising recording the video image in response to an attempt at
20 unauthorized access.

18. The method of Claim 15, further comprising recording the video image in response to the radio response from the RFID tag.

25

19. The method of Claim 15, further comprising recording a series of video images of the wearer of the
RFID tag at the access door.

20. A method for remotely notifying a subscriber of an alert condition at a facility, comprising:

receiving a radio frequency identification (RFID) action from an RFID system at a facility;

5 determining whether the RFID action corresponds to a pre-defined alert condition;

obtaining a video image associated with the RFID action if the RFID action corresponds to a pre-defined alert condition; and

10 electronically transmitting notice of the alert condition along with the video image for delivery to a manager of the facility.

21. The method of Claim 20, further comprising
15 electronically mailing the notice of the alert condition along with the video image over the internet to the manager of the facility.

22. The method of Claim 21, further comprising
20 obtaining and electronically transmitting a series of video images associated with the RFID action.

23. The method of Claim 20, wherein the RFID action comprises access to a specified area.

24. The method of Claim 20, further comprising:
determining whether an expected RFID action has
occurred by a specified time; and
electronically transmitting a notice that the
expected RFID action has not occurred to the manager of
the facility in response to determining that the expected
RFID action has not occurred.

25. A method for providing remote access services, comprising:

receiving a request by a person for access to a restricted area operated by a subscriber;

5 receiving a video image of the person requesting access to the restricted area;

transmitting the request including the video image to the subscriber for approval; and

allowing the requested access in response to
10 approval by the subscriber.

26. The method of Claim 25, further comprising receiving and transmitting a series of video images of the person requesting access to the restricted area.

15 27. The method of Claim 25, the act of receiving a request comprising eliciting a radio response from a radio frequency identification (RFID) tag at an access door to the restricted area and the act of transmitting
20 the request including transmitting the radio response from the RFID tag.

METHOD AND SYSTEM FOR PROVIDING INTEGRATED REMOTE
MONITORING SERVICES

5 ABSTRACT OF THE DISCLOSURE

A method and system for providing integrated remote monitoring services includes receiving and storing radio frequency identification (RFID) data from an RFID system at a remote facility of a subscriber. Video data is received from a video system at the facility and also stored. The subscriber is provided with access to the stored RFID and video data. The subscriber is also provided with access to and control of a video camera in the video system at the facility.

10

15

20

25

30

35

DAL01:492301.1

DAL01:494582





Figure 1






Figure 3




FIGURE 4




FIGURE 5





FIGURE
6



FIGURE

DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I declare that:

My residence, post office address and citizenship are as stated below next to my name; that I believe I am the original, first and sole inventor of the subject matter which is claimed and for which a patent is sought on the invention or design entitled , the specification of which (check one):

_____ is attached hereto; or

X _____ was filed on December 22, 1999 as Application Serial

No. _____ and was amended on _____ (if applicable);

that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above; and that I acknowledge the duty to disclose to the U.S. Patent and Trademark Office all information known to me to be material to patentability as defined in 37 C.F.R. § 1.56.

I hereby claim foreign priority benefits under 35 U.S.C. § 119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application(s) for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

<u>Number</u>	<u>Country</u>	<u>Date Filed</u>	<u>Priority Claimed</u> (Yes) (No)
---------------	----------------	-------------------	---------------------------------------

I hereby claim the benefit under 35 U.S.C. § 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application(s) in the manner provided by the first paragraph of 35 U.S.C. § 112, I acknowledge the duty to disclose to the U.S. Patent and Trademark Office all information known to me to be material to patentability as defined in 37 C.F.R. § 1.56 which became available between the filing date of the prior application(s) and the national or PCT international filing date of this application:

<u>Application Serial Number</u>	<u>Date Filed</u>	<u>Status</u>
--------------------------------------	-------------------	---------------

I hereby appoint:

Jerry W. Mills	Reg. No. 23,005
Robert M. Chiaviello, Jr.	Reg. No. 32,461
Ann C. Livingston	Reg. No. 32,479
Thomas R. Felger	Reg. No. 28,842
Charles S. Fish	Reg. No. 35,870
Wei Wei Jeang	Reg. No. 33,305
Kevin J. Meek	Reg. No. 33,738
T. Murray Smith	Reg. No. 30,222
Barton E. Showalter	Reg. No. 38,302
David G. Wille	Reg. No. 38,363
Bradley P. Williams	Reg. No. 40,227
Terry J. Stalford	Reg. No. 39,522
Christopher W. Kennerly	Reg. No. 40,675
Harold E. Meier	Reg. No. 22,428
Douglas M. Kubehl	Reg. No. 41,915
Samir A. Bhavasar	Reg. No. 41,617
Thomas R. Nesbitt, Jr.	Reg. No. 22,075
James J. Maune	Reg. No. 26,946
Roger J. Fulghum	Reg. No. 39,678
Rodger L. Tate	Reg. No. 27,399
Scott F. Partridge	Reg. No. 28,142
James B. Arpin	Reg. No. 33,470
James Remenick	Reg. No. 36,902
Jay B. Johnson	Reg. No. 38,193
Robert W. Holland	Reg. No. 40,020
Floyd B. Chapman	Reg. No. 40,555
Randall W. Mishler	Reg. No. 42,006
Robert A. King	Reg. No. 42,738
James L. Baudino	Reg. No. 43,486
Scott T. Morris	Reg. No. 43,818
Tara D. Knapp	Reg. No. 43,723
William R. Borchers	Reg. No. 44,549
Robin A. Brooks	Reg. No. 44,563
Darren W. Collins	Reg. No. 44,625
Brian W. Oaks	Reg. No. 44,981
Luke K. Pedersen	Reg. No. 45,003
Matthew B. Talpis	Reg. No. 45,152
David M. Doyle	Reg. No. 43,596
Russell W. White	Reg. No. P45,691

Patent Agents:

Brian A. Dietzel	Reg. No. 44,656
Kevin R. Imes	Reg. No. 44,795

all of the firm of Baker & Botts, L.L.P., my attorneys with full power of substitution and revocation, to prosecute this application and to transact all business in the United States Patent

and Trademark Office connected therewith, and to file and prosecute any international patent applications filed thereon before any international authorities.

Send Correspondence To:

Baker & Botts, L.L.P.
2001 Ross Avenue
Dallas, Texas 75201-2980

Direct Telephone Calls To:

Terry J. Stalford, Esq.
at (214) 953-6477
Atty. Docket No.

I declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

Full name of sole inventor

Allan R. Griebelnow

Inventor's signature

Date

Residence (City, County, State)

5419 Preston Fairways Circle
Dallas, Collin County, Texas 75252

Citizenship

United States of America

Post Office Address

5419 Preston Fairways Circle
Dallas, Texas 75252